



Clinical Practice Procedures: Other/Acute stroke referral

Policy code	CPP_OT_ACSR_0924	
Date	September, 2024	
Purpose	To ensure a consistent procedural approach to acute stroke referral.	
Scope	Applies to Queensland Ambulance Service (QAS) clinical staff.	
Health care setting	Pre-hospital assessment and treatment.	
Population	Applies to all ages unless stated otherwise.	
Source of funding	Internal – 100%	
Author	Clinical Quality & Patient Safety Unit, QAS	
Review date	September, 2027	
Information security	UNCLASSIFIED – Queensland Government Information Security Classification Framework.	
URL	https://ambulance.qld.gov.au/clinical.html	

While the QAS has attempted to contact all copyright owners, this has not always been possible. The QAS would welcome notification from any copyright holder who has been omitted or incorrectly acknowledged.

All feedback and suggestions are welcome. Please forward to: Clinical.Guidelines@ambulance.qld.gov.au

Disclaimer

The Digital Clinical Practice Manual is expressly intended for use by appropriately qualified QAS clinicians when performing duties and delivering ambulance services for, and on behalf of, the QAS.

The QAS disclaims, to the maximum extent permitted by law, all responsibility and all liability (including without limitation, liability in negligence) for all expenses, losses, damages and costs incurred for any reason associated with the use of this manual, including the materials within or referred to throughout this document being in any way inaccurate, out of context, incomplete or unavailable.

© State of Queensland (Queensland Ambulance Service) 2024.



This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives V4.0 International License

You are free to copy and communicate the work in its current form for non-commercial purposes, as long as you attribute the State of Queensland, Queensland Ambulance Service and comply with the licence terms. If you alter the work, you may not share or distribute the modified work. To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.o/deed.en

For copyright permissions beyond the scope of this license please contact: <u>Clinical.Guidelines@ambulance.qld.gov.au</u>

Acute stroke referral

September, 2024

The rapid identification and transport of patients with stroke to a dedicated Acute Stroke Centre (ASC) significantly reduces death and disability.[1-4]

Indications

Acute stroke referral is mandatory for all patients with symptoms suggestive of stroke who meet the following criteria:

- Onset of stroke symptoms is less than 24 hours; AND
- The patient is able to be transported to an ASC within 60 minutes (from stroke assessment)

Contraindication:

- Advanced terminal cancer with a life expectancy of less than 6 months.
- · Seizure/s at onset of symptoms

Complications

Nil

UNCONTROLLED WHEN PRINTED

STROKE LYSIS CAPABLE HOSPITALS

REGION	PUBLIC HOSPITALS	PRIVATE HOSPITALS
Far Northern	Cairns Hospital (24/7)	The capacity of private hospitals to accept stroke patients may vary according to location and current circumstances. When a patient requests transport to a private hospital for any stroke related incident, clinicians must contact the hospital prior to transporting to ensure they are able to accept and appropriately manage the patient.
Northern	Mt Isa Hospital (24/7) Townsville University Hospital (24/7)	
Central	Emerald Hospital (24/7) Gladstone Hospital (24/7) Mackay Hospital (24/7) Proserpine Hospital (24/7) Rockhampton Hospital (24/7)	
Darling Downs & South West	Roma Hospital (24/7) Toowoomba Hospital (24/7)	
Sunshine Coast & Wide Bay	Bundaberg Hospital (24/7) Hervey Bay Hospital (24/7) Sunshine Coast University Hospital* (24/7)	
Metro North	Caboolture Hospital (24/7) Redcliffe Hospital (24/7) The Prince Charles Hospital (24/7) The Royal Brisbane & Women's Hospital (24/7)	
Metro South	Ipswich Hospital (24/7) Logan Hospital (24/7) Mater Brisbane Hospital (24/7) Princess Alexandra Hospital (24/7) Queen Elizabeth II Hospital (24/7) Redland Hospital (24/7)	
Gold Coast	Gold Coast University Hospital* (24/7)	

Note: * identifies hospitals facilitating direct QAS to Stroke Team referral during business hours and ED after hours.

Procedure - Acute stroke referral

- 1. Confirm the patient is indicated for acute stroke referral, specifically:
 - Patient assessment is suggestive of acute stroke with clear onset of symptoms less than 24 hours;
 - Patients located less than 60 minutes transport time (from time of stroke assessment) to an approved ASC;

"Can I please confirm I have contacted [hospital]?
I am a paramedic with the QAS and would like to make
an acute stroke referral. I have a [XX] year old [gender]
who has symptoms suggestive of acute stroke
[findings of pre-hospital stroke assessment].

The symptoms began at [time]. The VSS is as follows [GCS, BP, HR, RR SpO₂, T & BGL].

The patient has a NIHSS-8 (National Institute of Health Stroke Scale) score of [X] and a pre-morbid mRS (Modified Rankin Scale score of [X].

The patient's past medical history included [elaborate as required] and they're prescribed the following medications [elaborate as required].

Accompanying the patient to hospital is [wife / husband / nil].

Our estimated time of arrival to your facility is [HH:MM]".

- 3. Transport to hospital.
- Complete e-ARF in accordance with existing policy ensure the words 'ACUTE STROKE REFERRAL' are entered in the e-ARFs Case Description field (assists with auditing).



Additional information

- The QAS works collaboratively with the State-wide Stroke Clinical Network to enhance the provision of evidence based stroke care across Queensland.
- For the consideration of stroke lysis, the timing of the onset of symptoms needs to be clearly defined. In particular if a patient wakes from sleep with stroke symptoms, the timing of onset must be taken as when they were last well – that is, the time they went to sleep.
- If clinically appropriate, acute stroke referral patients should have an 18 Gauge intravenous cannula inserted in the ACF.
- The patient's next of kin should ideally be transported with the patient. If this is not possible the patient's next of kin contact details must be recorded on the e-ARF.
- Calls made to hospitals via the ASR may occasionally be diverted to either a message bank, or back to the hospital switchboard operator, if the receiving facility is temporarily unable to take the call at that point in time.

If the call is diverted to a message bank:

- Ambulance clinicians are required to leave a brief message regarding an urgent stroke referral and a return contact number.
- 2. If a referral call is not answered and a return call is not received after 5 minutes, ambulance clinicians are required to make a second call attempt and if unsuccessful, make a direct call to the relevant hospital's emergency department.

If the call is diverted back to the hospital's switch: ask the operator to connect you directly to the emergency department triage nurse.

Additional information (cont.)

In some instances, paramedics may be requested by hospital clinicians to transfer the patient directly to the CT scanner to facilitate and expedite imaging. QAS staff should comply whenever possible, provided the CT scanner is ready and immediately available. A hospital staff member should accompany the patient and paramedics to the scanner to avoid any possible delays. Once the patient is transferred to the scanner, paramedics should remove all QAS equipment and provide a patient handover.

Faults

 All faults/difficulties associated with the QAS Acute Stroke Referral Line must be reported via the QAS Portal.

Audit

 All calls to the QAS Acute Stroke Referral Line are recorded for quality assurance and training purposes.

UNCONTROLLE

